

APPENDIX 22

ENVIRONMENTAL INSPECTION WORKSHEET

PA/EI

Environmental Inspection Information/Requirements: [Technical aspects of inspection: 1) Determine the most likely sources of high-dose exposure to lead; 2) Investigate the child's home, giving special attention to painted surfaces, dust, soil and water; 3) Advise parents about identified and potential sources of lead and ways to reduce exposure; 4) Notify the property owner immediately that a child residing on the property has lead poisoning; 5) Monitor the effectiveness and timeliness of abatement procedures closely; 6) Coordinate environmental activities with those of other public health and social management agencies.]

Reminder: This form is required when submitting a paper prior authorization request.

Provider Number: _____

Recipient Medicaid Number: _____

Procedure Code: W7083 (Initial Inspection) - press *917083

W7084 (Follow-up Inspection) - press *917084

Type of Service: 9

Diagnosis: 984

Place of Service: _____ (If the child's home, enter 4. If other, enter 0)

Anticipated Date of Service: _____ (Enter MMDDYY)

Quantity Requested: 1

PA Request Checklist

ALL information must be provided in order to be processed.

A) Indicate recipient's blood lead level: _____

Indicate the date(s) of testing (use MMDDYY numeric format): _____

B) Has inspection staff completed DHSS-approved lead inspection training?

1 - Yes 2 - No

An approved prior authorization request allows Wisconsin Medicaid payment for two services. An initial inspection (W7083) and one follow-up inspection (W7084). Where necessary, one Interperiodic visit for education related to lead poisoning may be billed. The code for this is W7017.